
Invitation to Bid

Pavement Rehabilitation: Sealing and Striping Projects

201609 CO

Responses to an Invitation to Bid will be received by the Purchasing Coordinator, Sumner County Board of Education, and 1500 Airport Road, Gallatin, TN 37066 for



{ æ

pavement rehabilitation project Sumner

County is requesting proposals for the following locations:

- Coal Tar Pitch Emulsion Pavement Sealant and striping of parking lot and drives at the Sumner Count Administration Building & Archivesin Gallatin, 355 N. Belvedere Drive, Gallatin, Tennessee 37066
- 2) Coal Tar Pitch Emulsion Pavement Sealant and striping of parking lot and drives at the Sumner Count Animal Control, 1033 Union School Rd., Gallatin, Tennessee 37066
- 3) Coal Tar Pitch Emulsion Pavement Sealant and striping of parking lot and drives at the TN Rehab Center, 1019 Union School Rd., Gallatin, Tennessee 37066
- 4) Coal Tar Pitch Emulsion Pavement Sealant and striping of parking lot and drives at the Gallatin Health Department, 1005 nion School Rd., Gallatin, Tennessee 37066
- 5) Coal Tar Pitch Emulsion Pavement Sealant and striping of parking lot and drives at the Portland Healt Department, 214 W. Longview, Portland, Tennessee 37148
- 6) Coal Tar Pitch Emulsion Pavement Sealant and striping of parking lot and drives at the Odoms Bend 6 K H U L I I ¶ V % X L O G L Q J 2 G R P V % H Q G * D O O D W L Q 7 H Q Q H V V

I.

X X

x You must be licensed in your respective field at the time you bid and evidence of such compliance must be included in the bid or it may be rejected

x \ddagger " ' $-\bullet-$ > ' * ‡" • • ‡ • $-\ddot{}$ •

x _____

x $x \sim (+ \ddagger \bullet ... \ddagger) f ... (\bullet) f \bullet) \ddot{\bullet} \bullet f \uparrow \ddagger \rightarrow (" \% " f \bullet) \dagger \acute{\bullet}$

x

Х

- license classification
- 2) In addition to item (1) the same is applicable to masonry contractors if the work performed > \$100,000.00
- 3) In addition to item (1) the same is applicable to HVAC, electrical, plumbing, or A/C contractors if the work performed > \$25,000.00
- 4) In addition to item (1) the same is applicable plus the department of environment and conservation license number and classification, applicable to geothermal contractors if the work performed is > \$25,000.00
- 5) If the prime contractor performs the masonry portion of the project, or any of the above listed contractor skill sets, and the work performed > \$100,000.00, it must be so designated
- 6) Only one (1) contractor in each classification listed shall be written on the bid envelope

Χ

IX.

CST.

The reading of the bids will begin at 10:00 A.M.

XI.

Χ.

• f "•‡† ò ó

1500 Airport Road

XII.

XIII.

x x x x

XIV.

XV.

Sealingand Striping parking areas:

Project Addresses:

Sumner County Administration Building & Archives, 355 N. Belvedere Drive, Gallatin, Tennessee 37066

Sumner County Animal Control, 1033 Union School Rd., Gallatin, Tennessee 37066

TN Rehab Center, 1019 Union School Rd., Gallatin, Tennessee 37066

Gallatin Health Department, 1005 Union School Rd., Gallatin, Tennessee 37066

Portland Health Department, 214 W. Longview, Portland, Tennessee 37148

2GRPV %HQG 6KHULII¶V %XLOGLQJ ee 372066RPV %HQG *DOODWLQ

Scope of Work:

Buildings will be open to the public; work shall be coordinated with County. Contractor may have to phase construction schedule or complete some work when building traffic is less or building closed. Contractor sha account forcoordination with the County regarding the project schedule. See project notes regarding hours of operation.

Barricade off the lot using cones and barricades for safety

Remove bumper blocks and reset all bumper blocks

See attached specification for Coal Tar Pitch Emulsion Pavement Sealant of parking areas, repair and patcareas if necessary prior to sealing and striping.

Provide industry standard paint for parking lot striping and stripe according to standard vehicle size requirements, QUICK DRY TRAFFIC MARKING PAINT (WHITE): Subsection 910.05, current edition of the standard specifications of the Tennessee Department of Transportation (TDOT).

All parking area pavement markings shall be repainted

Respondents shall be responsible for cleanup. All parking areas and site shall be cleaned up. Respondents shall be totally responsible for all measurements to insure pricing accuracy

Proposal price shall be all inclusive for necessary labor, materials, and any other charges

Respondents shall state the length of time necessary to complete this project

Respondents shall be responsible for coordinating work to be completed with Kim Ark

Respondents shall include a full description of the length and terms/conditions of the warranty

Respondents shall include required number of ADA accessible spaces. Respondents shall include any necessary ramps to meet ADA requirements.

Hours of Operation:

Sumner County Administration Building

- x Monday through Friday 8:00 am -4:30 pm
- x On Fridays Drive-Thru Window is open until 5:15 pm, allow for employees to leave until 6:00 pm
- x Note to Contractor:For Sumner County Administration Building, no work can be performed between October 19, 2016 and November 3, 2016 due to early voting schedule. Preferably no wo can be performed the last week of the month or first few days of the month, due to high traffic a & O H U N ¶ \Schedule \exidta \text{the dule Eath} be coordinated with County.

Sumner County Animal Control

- x Tuesday through Saturday 9:00 art6:00pm
- x Preferable for work to be completed on Monday, striping could be completed on a Tuesday if necessary. Schedule can be coordinated with County.

TN Rehabilitation Building

<u>List of Job References:</u>

Project Name/Locatio <u>n:</u>	
Agency/Department:	
Dates of Project:	Dollar Value:
Project Manager/Contact at Agency:	
Phone:	Email:
Project Name/Locatio <u>n:</u>	
	Dollar Value:
Project Manager/Contact at Agency:	
Phone:	Email:
Project Name/Locatio <u>n:</u>	
Agency/Department:	
Dates of Project:	Dollar Value:
Project Manager/Contact at Agency:	
Phone:	Email:
Project Name/Locatio <u>n:</u>	
Agency/Department:	
Dates of Project:	Dollar Value:
Project Manager/Contact at Agency:	
Phone:	



SEALING AND STRIPING Sumner County Administration Building & Archives BID FORM

Date	Submitted				
TO:	Sumner County, TN				
l,					
5 F Of	1 S U H V H Q W D W	LYH¶V 1DPH5HS	SUHVHQ\	W D W L Y H ¶ V	6 L J Q D W X U H
Nam	e of Company l	Address Hereby submit our bid fo	City	Zip	
			ves parking lo	ot and drives in acc	cordance with the specifications and
	ITEM	QUANTITY		AMOUN	Т
1)	Preparation Sweeping, Cleaning, Barricades, Bumper block remo And installation	LS val			
2)	Coal Tar Pitch Emulsion Paveme Sealanper spec	ent LS			
3)	Striping	LS			
				TOTAL	
Leng	oth of time necessary to	complete this project:			
Desc	cription of the length ar	nd terms/conditions of th	e warranty:		
Subr	mitted By:				
Δuth	orized Signature		Г	Jato:	

SEALING AND STRIPING TN Rehabilitation Center BID FORM

Date Submitted					
TO: Sumner County, TN	I				
I, 5 H S U H V H Q W D Of	WLYH¶V 1DPH5	HSUHVHQ	WDWLYH¶	V 6LJQDW	XUH
Name of Company	Address	City	Zip	•	
	Hereby submit our bid	d for the sealing	and striping of		
(Phone) the TN rehabilitation cer	nter parking lot and drive	es in accordance	with the specific	cations anup	85Tftcationsn(c)9(a

SEALING AND STRIPING Gallatin Health Department BID FORM

Date Submitted				
TO: Sumner County, TN				
I,	WLYH¶V 1DPH5	HSUHVHQ	W D W L Y H ¶ V	6 L J Q D W X U H
Name of Company	Address _Hereby submit our bid	City d for the sealing	Zip and striping of	
(Phone) the Gallatin Health Depa these bid documents.	rtment parking lot and o	drives in accorda	nce with the spec	ifications and instructions set forth i
ITEM d55>-3<00	48>9<000C>-3<0 7Y T	DI FMC /P < </td <td>MCID 12tM d55</td> <td>ld_ui000C>-3<0 Y Ý< '- 8vT€</td>	MCID 12tM d55	ld_ui000C>-3<0 Y Ý< '- 8vT€



SEALING AND STRIPING Portland Health Department BID FORM


Date	Submitted			
TO: S	Sumner County, TN			
l.				
		•	HSUHVHQWDWLYH¶	V 6LJQDWXUH
	e of Company	Address _Hereby submit our bid	City Zip d for the sealing and striping of	
		rtment parking lot and	drives in accordance with the sp	ecifications and instructions set fortl
	ITEM	QUANTITY	AMOUNT	
1)	Preparation Sweeping, Cleaning, Barricades, Bumper block rem And installation	LS		
2)	Coal Tar Pitch Emulsion Paven Sealantper spec	nent LS		
3)	Striping	LS		
			TOTAL	
Leng	th of time necessary	to complete this project	ot:	
Desc	ription of the length	and terms/conditions o	f the warranty:	
Subn	nitted By:			
Δι	ıthorized Signature		Data:	



SEALING AND STRIPING Odoms Bend Sheriff Building BID FORM

Date	Submitted				
TO: S	Sumner County, TN				
I,	SUHVHQWDV	VLYH¶V 1DPH5H	HSUHVHQV	VDWLYH¶V	6LJQDWXUH
		Address Hereby submit our bid	City for the sealing a	Zip nd striping of	
		Building parking lot and o	drives in accorda	ance with the spe	ecifications and instructions set forth
	ITEM	QUANTITY		AMOUNT	
1)	Preparation Sweeping, Cleaning, Barricades, Bumper block rem And installation	LS oval			
2)	Coal Tar Pitch Emulsion Pavem				
	Sealantper spec	LS		-	
3)	Striping	LS			_
			ТОТА	L	
Lengt	h of time necessary	to complete this project	:		
Desci	ription of the length a	and terms/conditions of	the warranty:		
Subm	nitted By:				
Autho	orized Signature		[)ate:	

Sumner County, Tennessee Pavement Sealing



Sumner County, Tennessee



Page 2 of 3

<u>Test</u>

Chemical & Physical Analysis

-Non Volatilities %

-Ash Non Volatilities %
-Solubility of Non Volatiles in CS₂ %

-Specific Gravity 25°C

Drying Time

Adhesion & Resistance to Water

Resistance to Heat Resistance to Impact

Flexibility

Resistance to Volatilization

Wet Film Continuity

Darietanea ta Varacana

Specification

47-53% 30-40%

20% Min 1.20 Min 8 hr. Max.

No penetration or loss of adhesion

No blistering or sagging

No Chipping, Flaking or Cracking

No cracking or flaking 10% Loss in Weight Max

Smooth, Nongranular Free from

Coarse Particles

Malace of Adhesian or Banatration

Sumner County, Tennessee Pavement Sealing

Coal Tar

Pavement Sealer

е

Mixing Procedures: For optimum results Coal Tar shall be mixed in accordance with the following mix design (based on 100 gallons for ease of calculation):

Coal Tar Concentrate	100 gallons	
M/ster	<u> </u>	
<u>1</u>		
C 1 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ــــــــــــــــــــــــــــــــــــــ	
	,	
£ 6		
1 .		
1 onto the contract of the con		
7:		
A		
Ā		
		4
· France	Frank .	
the unitaries is		
		4
*/40 =0 4=0		
*(40-70 mesh AFS)		

Sumner County Administration Building

SUMNER COUNTY, TENNESSEE

780

390

0


DISCLAIMER: THIS MAP IS FOR PROPERTY TAX ASSESSMENT PURPOSES ONLY. IT WAS CONSTRUCTED FROM PROPERTY INFORMATION RECORDED IN THE OFFICE OF THE REGISTER OF DEEDS AND IS NOT CONCLUSIVE AS TO LOCATION OF PROPERTY OR LEGAL OWNERSHIP.

MAP DATE: September 16, 2016


NNESSEE

th Dept./Tn. Rehab Building/Animal Control

ENT PURPOSES ONLY. IT WAS CONSTRUCTED FROM PROPERTY INFORMATION AND IS NOT CONCLUSIVE AS TO LOCATION OF PROPERTY OR LEGAL OWNERSHIP.



Sumner County, Tennessee Pavement Sealing



Sumner County, Tennessee



Page 2 of 3

<u>Test</u>

Chemical & Physical Analysis

-Non Volatilities %

-Ash Non Volatilities %
-Solubility of Non Volatiles in CS₂ %

-Specific Gravity 25°C

Drying Time

Adhesion & Resistance to Water

Resistance to Heat Resistance to Impact

Flexibility

Resistance to Volatilization

Wet Film Continuity

Darietanea ta Varacana

Specification

47-53% 30-40%

20% Min 1.20 Min 8 hr. Max.

No penetration or loss of adhesion

No blistering or sagging

No Chipping, Flaking or Cracking

No cracking or flaking 10% Loss in Weight Max

Smooth, Nongranular Free from

Coarse Particles

Malace of Adhesian or Banatration

Sumner County, Tennessee Pavement Sealing

Coal Tar

Pavement Sealer

е

Mixing Procedures: For optimum results Coal Tar shall be mixed in accordance with the following mix design (based on 100 gallons for ease of calculation):

Coal Tar Concentrate	100 gallons	
M/ster	<u> </u>	
<u>1</u>		
C 1 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ــــــــــــــــــــــــــــــــــــــ	
	,	
£ 6		
1 .		
1 onto the contract of the con		
7:		
A		
Ā		
		4
· France	Frank .	
the unitaries is		
		4
*/40 =0 4=0		
*(40-70 mesh AFS)		

Sumner County Administration Building

SUMNER COUNTY, TENNESSEE

780

390

0

DISCLAIMER: THIS MAP IS FOR PROPERTY TAX ASSESSMENT PURPOSES ONLY. IT WAS CONSTRUCTED FROM PROPERTY INFORMATION RECORDED IN THE OFFICE OF THE REGISTER OF DEEDS AND IS NOT CONCLUSIVE AS TO LOCATION OF PROPERTY OR LEGAL OWNERSHIP.

MAP DATE: September 16, 2016

NNESSEE

th Dept./Tn. Rehab Building/Animal Control

ENT PURPOSES ONLY. IT WAS CONSTRUCTED FROM PROPERTY INFORMATION AND IS NOT CONCLUSIVE AS TO LOCATION OF PROPERTY OR LEGAL OWNERSHIP.

