20170220-BOE BAND UNIFORMS


Sumner County Board of Education, 1500 Airport Road, Gallatin, TN 37066 for Responses to an Invitation to Bid will be received by the Purchasing Supervisor, 20170220-BOE for Band Uniforms until 9:30 a.m. local time Bid responses will be opened at that time, taken under advisement and evaluated. Any specific questions should be directed to Band Director David Earl at 615-452-2621 ext.30652 or david.earl@sumnerschools.org proposals are subject to the Board of Education's conditions and specifications which are available from Vicky Currey, Purchasing Supervisor (615) 451-6569. All bids can be viewed on line at www.sumnerschools.org.

PQVKEG"VQ"TGURQPFGPVU"

Responses to an Invitation to Bid will be received by the Purchasing Supervisor in the SUPPORT SERVICE FACILITY CONFERENCE ROOM, Sumner County Board of Education, and 1500 Airport Road Gallatin, TN 37066. They will be received until

DeMoulin Bid Specifications

Invitation to Bid




insure that the district can expedite this purchase soon after the award. The sample uniform provided is to be a male size 38 regular.


The hillier recerves the right to inspect the workmanship of the sample, its inner construction in
· <u>-</u>
·-
·
particular, and for this purpose will open the lining if necessary.
"Washable" Uniform Specifications
4. CUD VIDD AV
1. GENERAL
Bond I Intermed which a second state, we about and downthe in standard commencial and excidential
in the state of t

	<u> 4 محمد مه ادحيود ادي</u>		Ir in thi Lawar Whi	A ASTRAM A TILIA W	inna n# f
,					
		,			
		, <u> </u>			
		, , , , , , , , , , , , , , , , , , , ,			
	1				
	ł.				

C. SHOULDER LOOPS



Coat linings are to be cut from a separate set of patterns designed specifically to fit the particular style of coat when requested. Linings are not to be cut from coat patterns and then cut down.




absorbing properties with immediate dry component. It will be non-toxic, perspiration resistant, color fast, and non-shrinkable. It is to be fully dry-cleanable and washable. Composition is to be 120 warp x 72 fill and is to meet government specifications. There will be a pleat down the center back in the shoulder area to allow for proper fullness. The lining will be completely sewn around the armhole not just tacked.

G. THREAD


All threading for seams is to be 50/30 cotton wrapped core thread, 70/20 poly wrap core thread




shell fabric and facing. When requested nylon zippers will be used and will be YKK quality or
·
1
*
3. BIBBER/JUMPSUIT
The state of the s
Type-prit or "hither" style transcere will be out in a full langth nottern allowing extra fullness at
-




- c. There are to be three bartacks at the base of the fly for additional reinforcement; two vertical bartacks on the lower front fly interior and one horizontal bartack at the bottom of the lower front fly exterior.
- d. The fly zipper is to be SOLID BRASS of Y.K.K. quality. There is to be a #3 hardened brass wire stop at the base of the zipper.





Cover Side Bodies

* One piece standard band fabrics * Computer graded, marked and cut * Double reinforced back seam from top to bottom .75" seam * All seams single needle lock stitch (301 lock stitch) * 0.011" Ht-38 monofilament and Tkt. 70 threads at 5-7 S.P.I. * Sewn construction to attach outer



* Visor is bound with a 8 ga. 1% metallic polyester film 99% PVC film vinyl edge guard in gold or silver * Sewn with a single needle lock stitch (301 lock stitch) * 0.011" Ht-38 monofilament thread at 5-7 S.P.I. * Cut size 1.125" to finish as .5" binding


Hardware Button

* Two (2) * Metal, lyre, or stipple 45 ligne, prong back shako button, nickel or gilt


Front Chain

* Soft aluminum, gold or silver plated .5" wide shako chain with lanyard spacers

Chin Chain



Plume



technology in water and mineral based non-toxic dye products, wired mounted on a plume wire * Silver or gold cup with shako wire mount * Plastic plumes, high quality foil and Mylar composite, machine cut, water proof and wrinkle resistant

Standard Plastic-Pak

* Molded, calcium filled polypropylene homopolymer, black minimum normal wall thickness .110" * Two (2) molded replaceable latches, built in hand grip, continuous hinges, 6-added feet for stable standing recessed bottom for stable stacking, inter-locking top and bottom for secure closing. Extra roomy to accommodate all hats plus space for plume

Bag

* Poly shako bag 10" x 8" x 24" x .001"

If no deviations are submitted, the bidder assures the buyer of full compliance with the specifications and conditions, and assures the buyer that samples accompanying bid meet all construction specifications.

If deviations are found on said sample, and not listed, the bidder is to be disqualified!

Company		
Signed		
Title		
Date ,		
Liniform Management System		

Uniform Management System

The band uniform order is to be accompanied by a Uniform Management System program with the following features:

Customer information is available via:

Uniform Management System program - CD or Internet Download

Customer Data - Internet Download

The Uniform Management System will manage student information regarding the assignment of band uniforms and is alterable on a continuing basis as sizing needs change. The program will contain an AUTO-ASSIGN feature which automatically assigns uniform pieces to the students based on their entered measurements. In addition, the student database will include full contact information for student and guardian, and will possess the ability to generate address labels and garment bag identification tags. The system will also produce student uniform rental/usage agreements as per needed. The software will be compatible with Microsoft Windows XP,

Certification of Fabric

This is to confirm that bidder is to use first quality goods. The material supplied is to be 14 1/2 oz. whipcord, 100% Polyester.

All fabric is purchased directly from the mills, not purchased from jobbers or wholesalers. The manufacturing mill is to stand behind the durability of fabric per handling and care instructions included on care label sewn into each uniform.


Bidder

Donald R. Adamski, President & COO

DeMoulin Brothers & Company -- Lifetime Limited Warranty

Warranty

DeMoulin Brothers & Company ("Seller") does hereby warrant for life to every original purchaser of our product that the following uniform parts are free of defective workmanship or



Style Specifications Coats - Band Quantity: 100 Band Type: Band Style: Waist Length Closure: Concealed center back brass zipper with 3 snap closure to secure flap

Bib Trousers - Band Quantity: 100 Fabric: RejuviTex Shade: Coal Black Lining: Unlined Adjustable Waist: No Suspender Buttons: No Belt Loops: No 4-Way Reinforced Crotch: Yes French Fly: Yes Woven ID Numeral: Yes

See sketch.

Style: 14" Black Iridescent Millennium Plume

Plumes - Band Quantity: 100 Band Type: Band

Style: 14" Black French Upright plume.

Gloves - Band Quantity: 120 Band Type: Misc

Style: Black LW cotton gloves

Description: Black VIvace Long Wristed cotton gloves.

Garment Bags - Band

Quantity: 100

Band Type: Miscellaneous

Style: In stock garment bag



100	Carmont Dogg - Dond
1	
# · # · ·	*.
100	Hangers
1	Uniform Management Software Program
	Total Bid
days, and	awarded the contract, the undersigned agrees to ship a sample uniform within to ship the entire order within calendar days after approval of the sample and necessary details and all measurements.
Name (Ple	ease Print):

Signature: